

iQ700 Warming drawer BI630CNS1B



The warming drawer is perfect for preheating crockery, for keeping foods warm and for gentle cooking.

- ✓ The handleless warming drawer is easy to open thanks to the push/pull function.
- ✓ The warming drawer can be installed separately or in combination with a traditional oven or Compact45 appliance.
- ✓ The heated sheet admits a regulation in four temperature levels from 30°-80°C glass surface temperature

Features

Technical Data

Construction type : Built-in

Color / Material Front : Black, Stainless steel

Maximum number of plates : 12

Maximum number of espresso cups : 64

Dimensions of the product (mm) : 140 x 595 x 548

Dimensions of the packed product (HxWxD) (mm) : 210 x 650 x 660

Required niche size for installation (HxWxD) : 140 x 560 x 550

EAN code : 4242003676585

Electrical connection rating (W) : 810

Current (A) : 10

Voltage (V) : 220-240

Frequency (Hz) : 60; 50

Plug type : GB plug



iQ700
Warming drawer
BI630CNS1B

Features

Design

- 140 mm
- Handleless push-pull opening mechanism

Features

- Cool door
- Easy to clean toughened glass heating plate
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Food warming and defrosting
- (3 settings)
- Cookware and utensil warming
- (1 setting)
- Can accommodate up to:
- -12 plates
- -64 espresso cups
- Loading up to 25 kg

Technical information

- Cavity volume: 20 litres
- Length of mains cable: 150 cm
- Connected load: 0.81 kW
- Appliance dimension (hxwxd): 140 mm x 595 mm x 548 mm
- Niche dimension (hxwxd): 140 mm x 560 mm - 568 mm x 550 mm

iQ700
Warming drawer
BI630CNS1B

Dimensioned drawings

