

**iQ700**  
**HM676G0S6B**  
**Combi MW Oven**  
**Brand Value Class: IQ700**



#### Included accessories

- 2 x combination grid
- 1 x universal pan

#### Optional accessories

- |          |                                      |
|----------|--------------------------------------|
| HZ6NCF0  | Cookbook                             |
| HZ634080 | Baking and roasting grid (microwave) |
| HZ631070 | Baking tray, anthracite enamelled    |

The oven with a built-in microwave for timesaving, flexible cooking.

- ✓ fast preheat: reach the required baking temperature sooner;
- ✓ coolStart: no need to preheat the oven for deep frozen food.
- ✓ varioSpeed: reduce cooking times by up to 50%.
- ✓ TFT Touchdisplay: user-friendly menu navigation with good display features.
- ✓ activeClean: the automatic system for effortless cleaning.
- ✓ Home Connect: access to your oven via smartphone or tablet.
- ✓ softMove: gentle opening and closing of the oven door.

#### Features

##### Technical Data

Type of micro-wave oven : MW-Combi  
Type of control : Electronic  
Color / Material Front : Stainless steel  
Dimensions of the product (mm) : 595 x 594 x 548  
Cavity dimensions (mm) : 357.0 x 480 x 392.0  
Length of electrical supply cord (cm) : 120  
Net weight (kg) : 44.321  
Gross weight (kg) : 47.0  
EAN code : 4242003765906  
Maximum micro-wave power (W) : 800  
Connection rating (W) : 3600  
Current (A) : 16  
Voltage (V) : 220-240  
Frequency (Hz) : 60; 50  
Plug type : no plug



**iQ700**  
**HM676G0S6B**  
**Combi MW Oven**  
**Brand Value Class: IQ700**

Features

**Design**

- 3.7" TFT touchDisplay
- Full colour display
- Stainless steel control dial
- Cavity inner surface: Enamel anthracite
- softMove: gentle opening and closing of the oven door.
- Drop down oven door, softClose, softOpen
- Bar handle

**Features**

- Intelligent microwave inverter technology: For optimised results maximum output power will be regulated to 600 W when used in longer operation for gentler cooking.
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- Sabbath setting
- Electronic door lock
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- WLAN - Home connect enabled
- cookControl Plus
- Electronic oven clock timer
- Main on/off switch
- Light on/off when door opened/closed
- 1 interior light, LED light
- Smooth enamelled oven interior
- 5 shelf positions in oven
- Integral cooling fan

**Cleaning**

- activeClean
- Microwave top door

**Programmes/functions**

- 13 heating methods: 4D hot air, hotairGentle, conventional top & bottom heating, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming
- Additional heating methods with microwave: Microwave, Combi microwave variable
- Max. Power: 800 W; 5 Microwave power settings (90 W, 180 W, 360 W, 600 W, 800 W)
- Microwave may be used separately or in combination
- Fast preheat

**Standard accessories**

- 2 x combination grid, 1 x universal pan
- 1 level telescopic shelf, standard extension, pyrolitic proof

**Technical information**





- Cavity volume: 67 litres
- Microwave inverter technology
- Temperature range 30 °C - 275 °C
- Total connected load electric: 3.6 KW
- Length of mains cable: 120 cm

- Nominal voltage: 220 - 240 V
- Min. fuse protection: 16 A
- Appliance dimension (hxwxh): 595 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 585 mm - 595 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

iQ700  
HM676G0S6B  
Combi MW Oven  
Brand Value Class: IQ700

Dimensioned drawings

Installation with a hob.



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm