


N 70  
S515T80D1G

ENERGY EFFICIENT DISHWASHER 60CM  
FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE TO USE,  
DESIGNED FOR HANDLELESS KITCHENS



A<sup>+</sup>



The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- ✓ Flex 3 baskets and cutlery drawer with highly adaptable, foldable elements for extremely easy loading
- ✓ TimeLight – the time remaining in the programme is projected onto the floor
- ✓ Chef 70° – the pro programme for getting stubborn dirt off pots and casserole dishes
- ✓ Extremely quiet dishwashing at just 39 dB
- ✓ Energy efficiency class A+ for low consumption in use

#### Features

##### Technical Data

Water consumption (l) : 9.5  
Built-in / Free-standing : Built-in  
Height of removable worktop (mm) : 815  
Required niche size for installation (HxWxD) : 815-875 x 600 x 550  
Depth with open door 90 degree (mm) : 1150  
Adjustable feet : Yes - front only  
Maximum adjustability feet (mm) : 60  
Net weight (kg) : 48.4  
Gross weight (kg) : 51.0  
Connection Rating (W) : 2400  
Current (A) : 13  
Voltage (V) : 220-240  
Frequency (Hz) : 50; 60  
Length electrical supply cord (cm) : 175  
Plug type : GB plug  
Length inlet hose (cm) : 140  
Length outlet hose (cm) : 190  
EAN code : 4242004222316  
Number of place settings : 14  
Energy efficiency class (2010/30/EC) : A+  
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 299  
Energy consumption (kWh) : 1.05  
Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50  
Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.50  
Water consumption annual (l/annum) - NEW (2010/30/EC) : 2660  
Drying performance : A  
Reference programme : Eco  
Total cycle time of reference programme (min) : 195  
Noise level (dB(A) re 1 pW) : 39  
Installation typology : Full-integrated



4 242004 222316

N 70

S515T80D1G

ENERGY EFFICIENT DISHWASHER 60CM

FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE  
TO USE, DESIGNED FOR HANDLELESS KITCHENS

## Features

### Performance

- Energy Efficiency Class: A+
- Capacity: 14 place settings
- Energy consumption in Eco 50 programme: 299 kWh per year, based on 280 standard cleaning cycles
- Energy consumption in Eco 50 programme: 1.05 kWh
- Water consumption in Eco 50 programme: 9.5 litres
- Water consumption in Eco 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 195 minutes
- Noise level dB (A) re 1pW: 39 dB

### Programmes/functions

- 8 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, 1 hour 65 °C, Quick 45 °C, Pre-rinse
- 4 special options: Intensive Zone, VarioSpeedPlus, HygienePlus, Extra Dry
- 5 temperatures
- Machine Care
- EcoDry - end of cycle door opening for perfect results

### Flexible design elements

- Flex 3 basket system
- Flex 3 drawer
- 3 stage Rackmatic height-adjustable top basket
- Silver coloured baskets
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket, 2 foldable cup racks in bottom basket
- 2 foldable cup shelves in top basket 2 foldable cup racks in bottom basket
- Glass rack in bottom basket

### Innovations and technology

- Neff EfficientSilentDrive
- doorOpen Assist - Simple to use, designed for handleless kitchens
- NeffSparkle - glass care system
- Heat exchanger - Hygienic and efficient drying
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- Aqua-Sensor, load sensor
- Neff AquaStop® with guarantee

### Design features

- TouchControl (metallic)
- White interior EmotionLight
- White TimeLight projection on floor
- Colour of indicators: white
- Large item spray head, including steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock - when activated double push to open
- doorOpen Assist - Simple to use, designed for handleless kitchens
- Time delay (1-24 hours) with Acoustic end of cycle indicator, water fault indicator
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Efficiency information relates to the Eco 50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.

N 70

S515T80D1G

ENERGY EFFICIENT DISHWASHER 60CM

FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE  
TO USE, DESIGNED FOR HANDLELESS KITCHENS

Dimensioned drawings

