


N 70
S586T60D0G

SLIMLINE DISHWASHER 45CM

FULLY INTEGRATED DOOROPEN ASSIST - SIMPLE TO USE,
DESIGNED FOR HANDLELESS KITCHENS



A++



Optional accessories

Z7860X0	ACCESSORIES DISHWASHER
Z7863X0	Cutlery basket



COOKING PASSION SINCE 1877

The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- ✓ Flex 3 baskets and cutlery drawer with highly adaptable, foldable elements for extremely easy loading
- ✓ TimeLight – the time remaining in the programme is projected onto the floor
- ✓ Chef 70° – the pro programme for getting stubborn dirt off pots and casserole dishes
- ✓ Very quiet dishwashing at just 44 dB
- ✓ Energy efficiency class A++ for very low consumption

Features

Technical Data

Water consumption (l) : 9.5
Construction type : Built-in
Height of removable worktop (mm) : 815
Required niche size for installation (HxWxD) : 815-875 x 450 x 550
Depth with open door 90 degree (mm) : 1150
Adjustable feet : Yes - front only
Maximum adjustability feet (mm) : 60
Adjustable plinth : both horizontal and vertical
Net weight (kg) : 32.804
Gross weight (kg) : 35.0
Connection rating (W) : 2400
Current (A) : 10
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Length of electrical supply cord (cm) : 175
Plug type : GB plug
Length inlet hose (cm) : 165
Length outlet hose (cm) : 205
EAN code : 4242004232155
Number of place settings : 10
Energy efficiency class (2010/30/EC) : A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 211.00
Energy consumption (kWh) : 0.74
Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.20
Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.20
Water consumption annual (l/annum) - NEW (2010/30/EC) : 2660
Drying performance : A
Reference programme : Eco
Total cycle time of reference programme (min) : 195
Noise level (dB(A) re 1 pW) : 44
Installation type : Full-integrated



4 242004 232155

N 70
S586T60D0G
SLIMLINE DISHWASHER 45CM
FULLY INTEGRATED DOOROPEN ASSIST - SIMPLE
TO USE, DESIGNED FOR HANDLELESS KITCHENS

Features

Performance

- Energy Efficiency Class: A++ (on an Energy Efficiency Class scale from A+++ to D)
- Capacity: 10 place settings
- Energy consumption in programme Eco 50 °C: 211 kwhper year, based on 280 standard cleaning cycles using cold water fill and the consumption of the low power modes. Actual energy consumption will depend on how the appliance is used.
- Water consumption in Eco 50 programme: 9.5 litres
- Water consumption in Eco 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 195 minutes
- Noise level dB (A) re 1pW: 44 dB

Programmes/functions

- 6 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Glass 40 °C, 1 hour 65 °C, Pre rinse
- 5 cleaning temperatures
- 3 special options: VarioSpeedPlus, Intensive Zone, Extra Dry
- Machine Care
- EcoDry - end of cycle door opening for perfect results

Flexible design elements

- Flex 3 basket system
- Flex 3 drawer
- 3 stage Rackmatic height-adjustable top basket
- Silver coloured baskets
- 3 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket, cup rack in bottom basket
- Cup shelf in top basket cup rack in bottom basket
- Glass rack in bottom basket

Innovations and technology

- Neff EfficientSilentDrive
- doorOpen Assist - Simple to use, designed for handleless kitchens
- NeffSparkle - glass care system
- Heat exchanger - Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- DuoPower Spray Arm
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

Design features

- White interior EmotionLight
- White TimeLight projection on floor
- Display colour: Red LED indicators
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock - when activated double push to open
- doorOpen Assist - Simple to use, designed for handleless kitchens
- Time delay (1-24 hours) with Acoustic end of cycle indicator, water fault indicator
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 44.8 x 55cm
- Efficiency information relates to the Eco 50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.


N 70

S586T60D0G

SLIMLINE DISHWASHER 45CM

FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE
TO USE, DESIGNED FOR HANDLELESS KITCHENS

Dimensioned drawings



measurements in mm