Washer dryer, 7/4 kg, 1500 rpm V7446X2GB



Extremely quiet washer dryer with a 7kg/4kg load capacity, special short cycles and large led display with time delay of up to 24 hours.









Feature

Technical Data

Construction type : Free-standing Removable work top : No Door hinge : Left

Length of electrical supply cord (cm): 210

Height of removable worktop (mm): 850 Dimensions of the product (mm): 850 x 600 x 590

Net weight (kg): 81.184 Drum volume (l): 56 EAN code: 4242004226031 Connection rating (W): 2200

Current (A): 10 Voltage (V): 220-240 Frequency (Hz): 50

Approval certificates : CE, VDE

Energy consumption (wash and dry of full wash load) (kWh): 4.76

Energy consumption (wash only) (kWh): 0.73

Water consumption (wash and dry full wash load) (I): 103



Washer dryer, 7/4 kg, 1500 rpm V7446X2GB

Features

Performance

- Label: Energy efficiency A at a range of energy efficiency classes from A to G / Washing performance A
- Capacity: 7 kg washing, 4 kg drying
- Non-stop wash and dry programme 4 kg
- Maximum spin speed :1500 rpm**
- Energy consumption wash and dry 4.76 kWh Water consumption wash and dry 103 litres
- Drum volume: 56 litres
- Noise level: washing 47 dB (re 1pW) Noise level: spinning 74 dB (re 1pW)
- Noise level: drying 59dB (re 1pW)

Programmes/functions

- Special programmes: Down wear, Drum clean, Mixed Load, Rapid 15, Allergy +, Hygiene care, Handwash wool, Delicates/Silk
- Special programme drying: fluff removal cycle
- Touch control buttons: start/pause with reload function, Rinse plus, Spin speed reduction, Temperature, Drying time, EcoPerfect, SpeedPefect

Key features

- Fully electronic metal control dial for all wash and special programmes
- EcoSilence Drive
- CircoCare drum Gentle washing thanks to a unique drum structure
- AntiVibration Design for more stability and quietness

Additional features

- Large LED display for programme status indication, temperature, spin speed, remaining time and 24 hour time delay
- Foam detection system
- Flow-through sensor for optimum water use
- Multiple water protection
- Safeguard monitoring system adjusts load distribution
- Overdosage indication
- Child safety lock
- Buzzer to indicate the end of cycle
- Metal door catch
- Left hinged door

Technical Information

- Slide-under installation
- Large silver-black grey door with 180° opening and 32cm porthole opening
- ** Values are rounded.

Dimensioned drawings



