## N 90, Built-in oven with steam function, Stainless steel B48FT78H0B








Built-in oven with FullSteam and SLIDE&HIDE® - combining all heating types and steam cooking in a single oven with unrestricted access

- $\sqrt{\,}$  Slide&Hide® unrestricted access in the oven interior and easy handling due to rotating handle
- $\sqrt{\rm CircoTherm^{\odot}}$  our smart hot-air solution for simultaneous baking and roasting on up to four levels
- $\sqrt{\,}$  Sous-vide prepare vacuum-sealed dishes with FullSteam for a new horizon of flavour.
- $\sqrt{\ }$  Eco Clean with Base Clean the duo that makes oven cleaning easier
- $\sqrt{}$  FullTouch Control simple, precise oven control by fingertip touch on the smooth surface of the high resolution TFT colour display.
- $\sqrt{\ }$  Home Connect rediscover your kitchen with our connected home appliances, from wherever you are.
- $\sqrt{\,}$  Baking and Roasting Assistant with Automatic Programmes the duo for optimal baking at your command
- $\sqrt{\,}$  Multipoint Meatprobe the thermometer helps the oven regulate the temperature and automatically adjust the cooking time
- $\sqrt{}$  ComfortFlex® the telescopic rails come out far enough to let you grasp the baking sheet conveniently from the sides.
- $\sqrt{\phantom{a}}$  LED lights Bright illumination exactly where you need it.



#### Ontional accessories

Z11AB15A0: Baking tray, non-stick ceramic coated, Z11CG10X0: Accessory, Z11GT10X3: Glass roasting dish, 5,4l, Z11GU20X0: Glasspan, Z11SZ00X0: SeamlessCombination mounting kit, Z11SZ80X0: SeamlessCombination 60 + 29cm, Z11SZ90X0: SeamlessCombination 60 + 45cm, Z12CB10A0: Baking tray, anthracite enamelled, Z12CM10A0: Moussaka pan, anthracite enamelled, Z12CP10A0: Pizza pan, anthracite enamelled, Z12CQ10A0: Grill tray, anthracite enamelled, Z13CR10X0: Baking and roasting grid (steam), Z13CX62X0: Vacuum bags 180 x 280 mm, 100 pcs., Z13CX64X0: Vacuum bags 240 x 350 mm, 100 pcs., Z13TC10X0: ComfortFlex Rail (1 level) f. steam, Z1913X0: Baking Stone

#### Features

#### Technical Data

Color / Material Front : Stainless steel

Construction type : Built-in Door opening : Drop down

Required niche size for installation (HxWxD) : 585-595 x 560-568 x

550

Dimensions of the product (mm) :  $595 \times 596 \times 548$ 

Dimensions of the packed product (HxWxD) (mm) :  $670 \times 660 \times 690$ 

Control Panel Material : Stainless steel

Door Material : Glass Net weight (kg) : 44.068 Approval certificates : CE, VDE

Length of electrical supply cord (cm): 120

EAN code : 4242004236061

Current (A): 16 Voltage (V): 220-240 Frequency (Hz): 50; 60 Plug type: no plug

Approval certificates : CE, VDE Number of cavities (2010/30/EC) : 1

Usable volume (of cavity) - NEW (2010/30/EC) : 71

Energy efficiency class (2010/30/EC) : A+

Energy consumption per cycle conventional (2010/30/EC) : 0.87 Energy consumption per cycle forced air convection (2010/30/EC) :

0.69

Energy efficiency index (2010/30/EC): 81.2



# N 90, Built-in oven with steam function, Stainless steel B48FT78H0B

#### Feature:

#### Design

- 5.7" TFT colour and graphics display with FullTouch control
- Enamel anthracite

#### Features

- HomeConnect ready on WLAN
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Temperature proposal Actual temperature display Heating up indicator Sabbath setting automatic programmes:
- MultiPoint MeatProbe
- Baking and roasting assistant, Automatic programmes
- NeffLight (2 x 20 Watt halogen lamps), LED light, On/off button
- Water tank empty indicator

#### Cleaning

- EcoClean Direct : ceiling, back panel, side liners
- EcoClean programme, Base Clean programme

#### Programmes/functions

- Additional heating methods with steam: Steaming, Reheat, Dough proving, Defrost
- Additional functions: De-scaling programme Drying function Automatic boiling point detection
- Number of automatic programmes: 30 PC
- Rapid heat
- Cooling fan

#### Accessories


- $\bullet\,$  1-level flexible telescopic rail, full extension, Stop function
- 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 1 x grid, 1 x universal pan

#### Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A+ Energy consumption per cycle in conventional mode: 0.87 kWh Energy consumption per cycle in fan-forced convection mode: 0.69 kWh Number of cavities: Main cavity Heat source: electrical Cavity volume: 71 litre
- 1 | Water tank capacity
- Location of water tank: Outside cavity
- Total connected load electric: 3.45 KW
- Temperature range 40 °C 250 °C
- 120 cm Cable length
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 595 mm x 596 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- $\bullet$  Please refer to the dimensions provided in the installation manual

## N 90, Built-in oven with steam function, Stainless steel B48FT78H0B

### Dimensioned drawings



If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm

