
N 90, Built-in oven, Stainless steel B57CS24H0B









Ontional accessories

Z11AB15A0: Baking tray, non-stick ceramic coated, Z11CG10X0: Accessory, Z11CR10X0: Baking and roasting grid (standard), Z11GT10X3: Glass roasting dish, 5,4I, Z11GU20X0: Glasspan, Z11SZ00X0: SeamlessCombination mounting kit, Z11SZ80X0: SeamlessCombination 60 + 29cm, Z11SZ90X0: SeamlessCombination 60 + 45cm, Z11TC10X0: ComfortFlex Rail (1 level), Z12CB10A0: Baking tray, anthracite enamelled, Z12CM10A0: Moussaka pan, anthracite enamelled, Z12CP10A0: Pizza pan, anthracite enamelled, Z12CQ10A0: Steam set for ovens

Built-in oven with Slide&Hide® - unrestricted access to the oven interior

- $\sqrt{\,}$ Slide&Hide® unrestricted access in the oven interior and easy handling due to rotating handle
- $\sqrt{\rm CircoTherm^{\odot}}$ our smart hot-air solution for simultaneous baking and roasting on up to four levels
- $\sqrt{\,}$ Dual cleaning options: Pyrolytic cleaning programmes just let the oven interior clean itself. EasyClean the quick and easy option for day to day maintenance.
- $\sqrt{\,}$ Shift Control fast navigation through menus and simple operation with the TFT display.
- $\sqrt{\ }$ Home Connect rediscover your kitchen with our connected home appliances, from wherever you are.
- $\sqrt{\,}$ Baking and Roasting Assistant your helper in the kitchen for ideal cooking times, temperatures, and modes for many dishes at your fingertips
- $\sqrt{\text{ComfortFlex}^{\otimes}}$ the telescopic rails come out far enough to let you grasp the baking sheet conveniently from the sides.

Features

Technical Data

Color / Material Front : Stainless steel

Construction type : Built-in

 ${\tt Integrated\ Cleaning\ system: Hydrolytic,\ Pyrolytic}$

Required niche size for installation (HxWxD) : 585-595 x 560-568 x

550

Dimensions of the product (mm) : $595 \times 596 \times 548$

Dimensions of the packed product (HxWxD) (mm) : $660 \times 690 \times 660$

Control Panel Material: Stainless steel

Door Material : Glass Net weight (kg) : 42.547 Usable volume of cavity (I) : 71

Cooking method: Bottom heat, Bread Baking Setting, Conventional heat, Defrost, Dough proving setting, Full width grill, Half width grill, Hot Air-Eco, Hot air grilling, low temperature cooking, Pizza setting

Oven control : electronic Number of interior lights : 1

Approval certificates : CE, VDE Length of electrical supply cord (cm) : 120

EAN code : 4242004236672

Number of cavities (2010/30/EC): 1

Energy efficiency class (2010/30/EC) : A

Energy consumption per cycle conventional (2010/30/EC) : 0.90

Energy consumption per cycle forced air convection (2010/30/EC) :

0.74

Energy efficiency index (2010/30/EC): 87.1

Connection rating (W): 3450

Current (A): 16 Voltage (V): 220-240 Frequency (Hz): 50; 60 Plug type: no plug



N 90, Built-in oven, Stainless steel B57CS24H0B

Features

Design

- 4.1" TFT colour and graphics display with ShiftControl
- Enamel anthracite
- Illuminated Shift Control
- We recommend you to choose complementary products within N90, in order to assure an optimal design combination of your Built-In appliances.

Features

- HomeConnect ready on WLAN
- Control panel lock Automatic safety switch off Residual heat indicator Start button Door contact switch
- Temperature proposal Actual temperature display Heating up indicator Sabbath setting
- Baking and roasting assistant
- Interior halogen light, On/off button
- Electronic clock timer
- 4 shelf positions

Cleaning

- Pyrolytic cleaning
- EasyClean
- Full glass inner door

Programmes/functions

- Oven with 13 main functions heating methods: CircoTherm[®], CircoTherm[®] Gentle, Top/bottom heat, Conventional heat Gentle, Circo-roasting, Full surface grill, Centre surface grill, CircoTherm[®] intensive, Bread baking, Bottom heat, Low temperature cooking, Defrost, Dough proving
- Rapid heat
- Cooling fan


Accessories


- 1-level flexible telescopic rail, full extension, Stop function
- ullet 1 x combination grid, 1 x universal pan

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A Energy consumption per cycle in conventional mode: 0.9 kWh Energy consumption per cycle in fan-forced convection mode: 0.74 kWh Number of cavities: Main cavity Heat source: electrical Cavity volume: 71 litre
- Total connected load electric: 3.45 KW
- 120 cm Cable length
- Nominal voltage: 220 240 V
- Appliance dimension (hxwxd): 595 mm x 596 mm x 548 mm
- Niche dimension (hxwxd): 585 mm 595 mm x 560 mm 568 mm x 550 mm
- \bullet Please refer to the dimensions provided in the installation manual

Dimensioned drawings





If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	37 mm	38 mm
Full surface Induction hob	47 mm	48 mm
Gas hob	30 mm	38 mm
Electric hob	27 mm	30 mm