

iQ700, steamer, Stainless steel  
CD634GBS1B



The compact steamer for delicious, low-fat, healthy food preparation.

- ✓ The full steam function: making it simple to cook healthy and delicious meals
- ✓ TFT Display: good readability from any perspective.
- ✓ softMove: gentle opening and closing of the oven door.

Features

Technical Data

Color / Material Front : Stainless steel  
Built-in / Free-standing : Built-in  
Required niche size for installation (HxWxD) : 450-455 x 560-568 x 550  
Dimensions of the product (mm) : 455 x 594 x 548  
Dimensions of the packed product (HxWxD) (mm) : 520 x 650 x 710  
Control Panel Material : Stainless steel  
Door Material : Glass  
Net weight (kg) : 24.473  
Approval certificates : CE, VDE  
Length electrical supply cord (cm) : 150  
EAN code : 4242003671283  
Connection Rating (W) : 1750  
Current (A) : 10  
Voltage (V) : 220-240  
Frequency (Hz) : 60; 50  
Plug type : GB plug  
Approval certificates : CE, VDE



Included accessories

1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge

Optional accessories

HZ915003 Glass roasting dish, 5,4 L  
HZ66X600 Decor list

## iQ700, steamer, Stainless steel CD634GBS1B

### Features

#### Design

- 2.8" TFT Display
- Drop down oven door, softClose, softOpen
- Cavity inner surface: Stainless steel
- Stainless steel control dial
- Bar handle
- We recommend you to choose complementary products within iQ700, in order to assure an optimal design combination of your Built-In appliances.

#### Features

- Automatic temperature proposal Actual temperature display Heating-up indicator cookControl
- Control panel lock Automatic safety switch off Start button Door contact switch
- cookControl, 20
- Electronic oven clock timer
- 4 shelf positions
- 1 interior light
- Tank empty indicator
- Integral cooling fan

#### Cleaning

- Full glass inner door

#### Programmes/functions

- Automatic programmes
- Additional heating methods with steam: steam, reheating, Dough proving, defrost

#### Accessories

- 1 x steam container, punched, size L, 1 x steam container, unpunched, size L, 1 x sponge



#### Performance/technical information

- Cavity volume: 38 litres
- Location of water tank: Inside cavity
- 1.3 l Water tank capacity:
- 150 cm Cable Cable length
- Total connected load electric: 1.75 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hwxwd): 455 mm x 594 mm x 548 mm
- Please refer to the dimensions provided in the installation manual

iQ700, steamer, Stainless steel  
CD634GBS1B

Dimensioned drawings

Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

