

## iQ700, Built-in compact oven with steam function, Stainless steel CS656GBS7B



### The compact oven with fullSteam function

- ✓ pulseSteam: for crispy crusts and juicy roasts.
- ✓ TFT Touchdisplay: user-friendly menu navigation with good display features.
- ✓ Home Connect: Allows access and control your oven, no matter where you are - with the easy-to-use Home Connect App
- ✓ ecoClean Plus: effortless cleaning thanks to a special coating.
- ✓ cookControl Plus: guaranteed success for numerous dishes.

### Features

#### Technical Data

Color / Material Front : Stainless steel  
 Construction type : Built-in  
 Door opening : Drop down  
 Required niche size for installation (HxWxD) : 450-455 x 560-568 x 550  
 Dimensions of the product (mm) : 455 x 594 x 548  
 Dimensions of the packed product (HxWxD) (mm) : 530 x 660 x 690  
 Control Panel Material : Stainless steel  
 Door Material : Glass  
 Net weight (kg) : 34.040  
 Approval certificates : CE, VDE  
 Length of electrical supply cord (cm) : 150  
 EAN code : 4242003839294  
 Current (A) : 16  
 Voltage (V) : 220-240  
 Frequency (Hz) : 50; 60  
 Plug type : no plug  
 Approval certificates : CE, VDE  
 Number of cavities (2010/30/EC) : 1  
 Usable volume (of cavity) - NEW (2010/30/EC) : 47  
 Energy efficiency class (2010/30/EC) : A+  
 Energy consumption per cycle conventional (2010/30/EC) : 0.73  
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.61  
 Energy efficiency index (2010/30/EC) : 81.3

### Included accessories

1 x grid, 1 x universal pan, 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S

### Optional accessories

HZ915003 Glass roasting dish, 5,4 L  
 HZ66X650 Cover Strip  
 HZ66X600 Decor list  
 HZ664000 Baking and roasting grid (steam)  
 HZ638D18 1 telescopic rail, full ext, 45cm, steam  
 HZ636000 Glass pan  
 HZ631070 Baking tray, anthracite enamelled  
 HZ625071 Grill tray, anthracite enamelled  
 HZ531010 Baking tray, non-stick ceramic coated  
 HZ327000 Baking stone



## iQ700, Built-in compact oven with steam function, Stainless steel CS656GBS7B

### Features

#### Design

- 3.7" TFT touchDisplay
- Full colour display
- Stainless steel control dial
- softMove: gentle opening and closing of the oven door.
- Drop down oven door, softClose, softOpen
- Bar handle
- Cavity inner surface: Enamel anthracite
- Removable wire shelf support rails, Smooth enamelled oven interior

#### Features

- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- Sabbath setting
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- WLAN - Home connect enabled
- cookControl Plus
- Electronic oven clock timer
- Main on/off switch
- LED light
- Light on/off when door opened/closed
- 3 shelf positions
- Tank empty indicator
- Integral cooling fan

#### Cleaning

- EcoClean Direct : back panel, ceiling, side liners
- ecoClean programme
- Full glass inner door

#### Programmes/functions

- Compact steam oven with 13 heating methods: 4D hot air, hotairGentle, conventional top & bottom heating, Conventional heat Gentle, hot air grilling, full width grill, half width grill, Pizza setting, coolStart, bottom heat, low temperature cooking, keep warm, plate warming
- Additional heating methods with steam: steam, reheating, Dough proving, defrost
- Additional functions:
  - Descaling programme
  - Drying function
  - autom. boiling point detection
  - Fast preheat

#### Standard accessories

- 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 1 x grid, 1 x universal pan

#### Performance/technical information


- Energy efficiency rating (acc. EU Nr. 65/2014): A+
- Energy consumption per cycle in conventional mode: 81.3

- Energy consumption per cycle in fan-forced convection mode: 0.61 kwh
- Number of cavities: 1
- Cavity volume: 47 litre capacity
- 1 l Water tank capacity:
- Temperature range 30 °C - 250 °C
- Length of mains cable: 150 cm
- Total connected load electric: 3.3 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxh): 455 mm x 594 mm x 548 mm
- Niche dimension (hxwxh): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

iQ700, Built-in compact oven with steam function, Stainless steel CS656GBS7B

Dimensioned drawings

Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm

