


Serie | 8

Compact steam oven
CSG656BS6B



- Included accessories**
 - 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 1 x grid, 1 x universal pan
- Optional accessories**
 - HEZ6FCG0 : Cookbook

The compact steam oven with hot air function: lets you combine gentle cooking with the power of hot air.

- **Steam cooking:** keeping food crispy on the outside and juicy on the inside
- **BoschAssist:** automatic setting of the optimal type of heat, temperature and time for countless dishes.
- **TFT touchscreen control:** easy-to-use thanks to the control ring with full text and images.
- **Connect:** Access and control your oven, no matter where you are - with the easy-to-use Home Connect App
- **LED lighting:** perfect illumination of foods with minimum energy consumption.
- **EcoClean Direct:** almost no cleaning is necessary thanks to a special coating of the rear- and side wall and the roof that automatically absorbs grime and has a regeneration programme.

Technical Data	
Color / Material Front :	Stainless steel
Construction type :	Built-in
Door opening :	Drop down
Required niche size for installation (HxWxD) :	450-455 x 560-568 x 550
Dimensions of the product (mm) :	455 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	530 x 660 x 690
Control Panel Material :	Stainless steel
Door Material :	Glass
Net weight (kg) :	34.7
Approval certificates :	CE, VDE
Length of electrical supply cord (cm) :	150
EAN code :	4242005032556
Current (A) :	16
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	no plug
Approval certificates :	CE, VDE
Number of cavities (2010/30/EC) :	1
Usable volume (of cavity) - NEW (2010/30/EC) :	47
Energy efficiency class (2010/30/EC) :	A+
Energy consumption per cycle conventional (2010/30/EC) :	0.73
Energy consumption per cycle forced air convection (2010/30/EC) :	0.61
Energy efficiency index (2010/30/EC) :	81.3



Serie | 8 Steam-Oven

Compact steam oven CSG656BS6B

The compact steam oven with hot air function: lets you combine gentle cooking with the power of hot air.

Design

- 3x 2,5"-TFT colour and graphics display with direct touch function
- Drop down door, SoftClose, SoftOpen
- Stainless steel control wheel
- Straight bar handle
- Cavity inner surface: Enamel anthracite

Features

- Digital temperature display with proposal
Actual temperature display
Heating-up indicator
Sabbath setting
- Control panel lock
Automatic safety switch off
Residual heat indicator
Start button
Door contact switch
- BoschAssist
- Electronic clock timer
- Main on/off switch
- LED light
- Light on/off when oven door opened/closed
- 3 shelf positions
- Water tank empty indicator
- Integral cooling fan

Cleaning

- EcoClean Direct : side liners, back panel, ceiling
- EcoClean Direct programme
- Full glass inner door

Programmes/functions

- Compact steam oven with 12 heating methods: 4D Hotair, Hotair Gentle, conventional top and bottom heat, conventional heat Gentle, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, plate warming, keep warm
- Additional heating methods with steam: Steam cooking , reheating, Dough proving, defrost
- Additional functions:
Descaling programme
Drying function
autom. boiling point detection
- Fast pre-heating function

Standard accessories




- 1 x steam container, punched, size S, 1 x steam container, punched, size XL, 1 x steam container, unpunched, size S, 1 x grid, 1 x universal pan

Performance/technical information


- Energy efficiency rating (acc. EU Nr. 65/2014): A+
Energy consumption per cycle in conventional mode: 81.3
Energy consumption per cycle in fan-forced convection mode: 0.61 kwh
Number of cavities: 1
Cavity volume: 47 litre capacity
- 1 l Water tank
- Length of mains cable: 150 cm
- Total connected load electric: 3.3 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (h x w x d): 455 mm x 594 mm x 548 mm
- Niche dimension (h x w x d): 450 mm - 455 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

Serie | 8 Steam-Oven

Compact steam oven CSG656BS6B



Installation with a hob.



If the compact appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	42 mm	43 mm
Full surface Induction hob	52 mm	53 mm
Gas hob	32 mm	43 mm
Electric hob	32 mm	35 mm