



DIMENSION	MEASURE	DIMENSION	MEASURE
OVERALL CABINET		APPLIANCE	
MIN Height of the wall cabinet niche, including all required space for installation or ventilation	0 mm	Height of the front	455 mm
MIN Height of the tall cabinet niche, including all required space for installation or ventilation	450 mm	Width of the front	595 mm
MIN Height of the base cabinet niche, including all required space for installation or ventilation	0 mm	Depth of the front	20 mm
MAX Height of the wall cabinet niche, including all required space for installation or ventilation	0 mm	Maximum depth all protruding elements, e.g. handles, controls	0 mm
MAX Height of the tall cabinet niche, including all required space for installation or ventilation	453 mm	Lateral clearance between front edge and most protruding elements which avoid to open a neighbour front more than 90 degrees	0 mm
MAX Height of the base cabinet niche, including all required space for installation or ventilation	0 mm	Projection of front in relation to housing of appliance	13 mm
MIN Width of the wall cabinet niche, including all required space for installation or ventilation	0 mm	Projection of front in relation to bearing area of the appliance. Taken at minimum height of appliance, if height is adjustable	0 mm
MIN Width of the tall cabinet niche, including all required space for installation or ventilation	560 mm	When product panel is missing, set to 0	97 mm
MIN Width of the base cabinet niche, including all required space for installation or ventilation	0 mm	Space in front, which is required to guarantee full operability. The most protruding part gives this dimension	340 mm
MAX Width of the wall cabinet niche, including all required space for installation or ventilation	0 mm	Height from bearing area of appliances and lower handle	344 mm
MAX Width of the tall cabinet niche, including all required space for installation or ventilation	568 mm	Frontal handle thickness	13 mm
MAX Width of the base cabinet niche, including all required space for installation or ventilation	0 mm	Frontal handle width	0 mm
MIN Depth of the wall cabinet niche, including all required space for installation or ventilation	0 mm	MIN Height of the product body	442 mm
MIN Depth of the tall cabinet niche, including all required space for installation or ventilation	550 mm	MAX Height of the product body	442 mm
MIN Depth of the base cabinet niche, including all required space for installation or ventilation	0 mm	Width of the product body	559 mm
Space in front, which is required to install bottom trim	8 mm	Depth of the product body	543 mm
Indicates whether a ventilation opening is needed or not. Default is "N"	No	Full depth of product excluding protruding interface elements	563 mm
WALL CABINET (vent-shaft incoming)		Minimum height from bottom line hood to top line air outlet	0 mm
Indicates the position of the freespace for the inbound airflow (wall cabinet)	-	Maximum height from bottom line hood to top line air outlet	0 mm
Minimum space or inbound ventilation (wall cabinet)	0 mm	Diameter minimum air outlet	0 mm
Minimum area for inbound ventilation cavity (wall cabinet)	0 cm ²	Diameter maximum air outlet	0 mm
WALL CABINET (vent-shaft outgoing)		Indicates measure between center of air outlet hole and rear wall	0 mm
Indicates the position of the freespace for the outbound airflow (wall cabinet)	-	Projection of the rear flap in relation to bearing area	0 mm
Minimum space or outbound ventilation (wall cabinet)	0 mm	Height tube connection for air outlet	0 mm
Minimum area for outbound ventilation cavity (wall cabinet)	0 cm ²	Appliance can be used as base for other appliances from the same manufacturer. Default is "No"	No
TALL CABINET (vent-shaft incoming)		Appliance Flap door	
Indicates the position of the freespace for the inbound airflow (tall cabinet)	-	Projection of the opened flap in relation to bearing area	6 mm
Minimum space for inbound ventilation (tall cabinet)	0 mm	Maximum angle when flap door is opened totally	85 mm
Minimum area for inbound ventilation cavity (tall cabinet)	0 cm ²	Appliance Side swing door	
TALL CABINET (vent-shaft outgoing)		Lateral projection of front incl. controls when door is opened totally. At the side where the hinge is mounted	0 mm
Indicates the position of the freespace for the outbound airflow (tall cabinet)	-	Lateral projection of opened front at the side where the hinge is fixed	0 mm
Minimum space for outbound ventilation (tall cabinet)	0 mm	Maximum angle when door is opened totally	89 mm
Minimum area for outbound ventilation cavity (tall cabinet)	0 cm ²	Appliance other	
BASE CABINET (vent-shaft incoming)		Depth from front end of the niche to the front end of the freespace of the retrace	0 mm
Indicates the position of the freespace for the inbound airflow (base cabinet)	-	Height from niche to bottom end of freespace for the retrace	0 mm
Minimum space for inbound ventilation (base cabinet)	0 mm		
Minimum area for inbound ventilation cavity (base cabinet)	0 cm ²		
BASE CABINET (vent-shaft outgoing)			
Indicates the position of the freespace for the outbound airflow (base cabinet)	-		
Minimum space for outbound ventilation (base cabinet)	0 mm		
Minimum area for outbound ventilation cavity (base cabinet)	0 cm ²		