

N 30
 BUILT-IN/-UNDER EL. DOUBLE OVEN/COOKER
 J1HCCOANOB STAINLESS STEEL



B



Included accessories

2 x combination grid, 1 x universal pan

Optional accessories

Z11T115X0 Cliprails

Built-in oven with CircoTherm® - The award-winning hot air system from Neff

Built under double oven - twice as flexible, twice as fast - bake or roast multiple dishes at the same time.

√ CircoTherm® - the unique hot air-system for simultaneous baking and roasting on up to 3 levels

Features

Technical Data

Color / Material Front : Stainless steel
 Construction type : Built-in
 Integrated Cleaning system : No
 Dimensions of the product (mm) : 717 x 594 x 550
 Dimensions of the packed product (HxWxD) (mm) : 790 x 690 x 660
 Control Panel Material : Stainless steel
 Door Material : Glass
 Net weight (kg) : 47.2
 Usable volume of cavity (l) : 47
 Cooking method : Conventional heat, Full width grill, Heißluft sanft, Hot Air, Hot air grilling
 Temperature control : No control of the temperature
 Number of interior lights : 1
 Approval certificates : CE, VDE
 EAN code : 4242004222019
 Energy efficiency class (2010/30/EC) : A
 Energy consumption per cycle conventional (2010/30/EC) : 0.84
 Energy consumption per cycle forced air convection (2010/30/EC) : 0.71
 Energy efficiency class (2010/30/EC) - cavity 2 : B
 Energy consumption per cycle conventional - cavity 2 (2010/30/EC) : 0.83
 Energy efficiency index (2010/30/EC) : 94.7
 Energy efficiency index cavity 2 (2010/30/EC) : 120.3
 Electrical connection rating (W) : 5300
 Current (A) : 25
 Voltage (V) : 220-240
 Frequency (Hz) : 50
 Plug type : fixed connection, no plug



N 30
BUILT-IN/-UNDER EL. DOUBLE OVEN/COOKER
J1HCCOANOB STAINLESS STEEL

Features

Design

- Fixed control dials
- Bar handle

Main Lower oven

- Oven capacity: 47 litre
- Control panel lock
- Smooth cavity interior, Shelf support rails
- Cavity (inner surface) bottom: Enamel grey
- Interior halogen light

Programmes/functions

- 5 heating methods: CircoTherm®, Top/bottom heat, Hot air grilling, Full surface grill, CircoTherm® gentle
- Manual rapid heating up

Cleaning

- Full glass inner door

Secondary top oven

- Cavity volume: 34 Litre
- Interior halogen light
- Cavity (inner surface) top: Enamel grey

Programmes/functions

- Oven with 3 heating methods: Top/bottom heat, Full surface grill, Small area grill

Standard accessories


- 2 x combination grid, 1 x universal pan

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): A
Energy consumption per cycle in conventional mode: 0.84 kwh
Energy consumption per cycle in fan-forced convection mode: 0.71 kwh
Number of cavities: 1
Heat source: electrical
Cavity volume: 47 litre
- Energy efficiency rating (acc. EU Nr. 65/2014): B
Energy consumption per cycle conventional mode: 0.83 kwh
Number of cavities: 2
Heat source: electrical
Cavity volume: 34 Litre
- Nominal voltage: 220 - 240 V
- Appliance dimension (hxwxd): 717 mm x 594 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

N 30
 BUILT-IN/-UNDER EL. DOUBLE OVEN/COOKER
 J1HCCOANOB STAINLESS STEEL

Dimensioned drawings



measurements in mm

If the appliance will be installed underneath a hob, the following worktop thicknesses (including substructure if necessary) must be taken into account.

Hob type	min. worktop thickness	
	fitted	flush
Induction hob	39 mm	40 mm
Full surface induction hob	49 mm	50 mm
Gas hob	29 mm	36 mm
Electric hob	29 mm	32 mm