

Serie | 6, Built-in double oven, Stainless steel MBA5785S0B



A



Included accessories

3 x combination grid
1 x universal pan

Optional accessories

HEZ327000 : Pizza stone
HEZ531000 : Baking tray, grey enamelled
HEZ531010 : Baking tray, non-stick ceramic coated
HEZ538000 : 1fold telescopic rail, level independent
HEZ634000 : Baking and roasting grid (standard)
HEZ638300 : 3 level telescopic rails, full ext
HEZ915003 : Glass roasting dish, 5,4 L

- **The built-in oven with meatprobe and AutoPilot:** automatically prepares your dishes to your liking
- **3D Hotair:** perfect results thanks to optimal distribution of heat on up to 3 levels simultaneously.
- **AutoPilot 30:** every dish is a perfect success thanks to 30 pre-set automatic programmes.
- **Pop-out controls:** for an easy to clean front.
- **Pyrolytic self-cleaning:** no cleaning effort thanks to pyrolytic cleaning programmes
- **Pyrolytic self-cleaning:** no cleaning effort thanks to pyrolytic cleaning programmes
- Fast pre heating

Technical Data

Color / Material Front :	Stainless steel
Construction type :	Built-in
Dimensions of the product (mm) :	888 x 594 x 550
Dimensions of the packed product (HxWxD) (mm) :	940 x 690 x 660
Control Panel Material :	Stainless steel
Door Material :	Glass
Net weight (kg) :	42.406
Usable volume of cavity (l) :	71
Cooking method :	Bottom heat, Conventional heat, Defrost, Full width grill, Hot Air, Hot air grilling, low temperature cooking, Pizza setting, warming
Oven control :	electronic
Number of interior lights :	1
Approval certificates :	CE, VDE
EAN code :	4242005057634
Energy efficiency class (2010/30/EC) :	A
Energy consumption per cycle conventional (2010/30/EC) :	1.02
Energy consumption per cycle forced air convection (2010/30/EC) :	0.81
Energy efficiency class (2010/30/EC) - cavity 2 :	B
Energy consumption per cycle conventional - cavity 2 (2010/30/EC) :	0.83
Energy efficiency index (2010/30/EC) :	95.3
Energy efficiency index cavity 2 (2010/30/EC) :	120.3
Connection rating (W) :	6300
Current (A) :	32
Voltage (V) :	220-240
Frequency (Hz) :	50
Plug type :	fixed connection, no plug



Serie | 6, Built-in double oven, Stainless steel MBA5785S0B

Design

- LCD-display control (white)
- Interior halogen light
- Rotary dial, Retractable control dials, round
- Straight bar handle

Features

- Electronic door lock Control panel lock Automatic safety switch off Residual heat indicator
- Digital temperature display with proposal Automatic start Heating-up indicator AutoPilot Sabbath setting
- Electronic clock timer

Top oven additional features

- Cavity volume: 34 litre capacity
- Pyrolytic Cleaning in top oven
- Full glass inner door
- Cavity (inner surface) top: Enamel grey
- Door hinge small cavity: Drop down oven door

Main oven additional features

- Cavity volume: 71 litre capacity
- AutoPilot, 30
- Single-point meat probe
- Pyrolytic self-cleaning function
- Full glass inner door
- Door hinge big cavity: Drop down door
- 5 shelf positions

Top oven

- Oven with 4 heating methods: conventional top/bottom heat, Large-area grill, Small area grill, bottom heat
- Temperature range 30 °C - 275 °C

Main oven

- Oven with 10 heating methods: 3D Hotair, conventional top and bottom heat, Hotair grilling, full width variable grill, pizza function, bottom heat, low temperature cooking, defrost, keep warm, Hotair gentle
- Temperature range 30 °C - 275 °C
- Fast pre-heating function

Accessories

- 1 x universal pan, 3 x combination grid
- 1 set of level independent telescopic rails, Stop function

Performance/technical information

- Energy efficiency rating (acc. EU Nr. 65/2014): B (at a range of energy efficiency classes from A+++ to D) Energy consumption

per cycle in conventional mode: 0.83 kwh Number of cavities:
Top Cavity Heat source: electrical

- Energy efficiency rating (acc. EU Nr. 65/2014): B (at a range of energy efficiency classes from A+++ to D) Energy consumption per cycle in conventional mode: 0.83 kWh Energy consumption per cycle in fan-forced convection mode: 0.81 kwh Number of cavities: Main Cavity Heat source: electrical
- Total connected load electric: 6.3 KW
- Nominal voltage: 220 - 240 V
- Appliance dimension (hwxwd): 888 mm x 594 mm x 550 mm
- Niche dimension (hwxwd): 875 mm - 888 mm x 560 mm - 568 mm x 550 mm
- Please refer to the dimensions provided in the installation manual

Serie | 6, Built-in double oven, Stainless steel MBA5785S0B

