


N 70
S515T80D2G

ENERGY EFFICIENT DISHWASHER, 60CM
FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE TO USE,
DESIGNED FOR HANDLELESS KITCHENS



A++



COOKING PASSION SINCE 1877

The dishwasher with cutlery drawer that's extremely flexible to load and displays the time remaining.

- ✓ Flex 3 baskets and cutlery drawer with highly adaptable, foldable elements for extremely easy loading
- ✓ TimeLight – the time remaining in the programme is projected onto the floor
- ✓ Chef 70° – the pro programme for getting stubborn dirt off pots and casserole dishes
- ✓ Very quiet dishwashing at just 44 dB
- ✓ Energy efficiency class A++ for very low consumption

Features

Technical Data

Water consumption (l) : 6.5
Construction type : Built-in
Height of removable worktop (mm) : 815
Required niche size for installation (HxWxD) : 815-875 x 600 x 550
Depth with open door 90 degree (mm) : 1150
Adjustable feet : Yes - front only
Maximum adjustability feet (mm) : 60
Adjustable plinth : both horizontal and vertical
Net weight (kg) : 41.412
Gross weight (kg) : 44.0
Connection rating (W) : 2400
Current (A) : 13
Voltage (V) : 220-240
Frequency (Hz) : 50; 60
Length of electrical supply cord (cm) : 175
Plug type : GB plug
Length inlet hose (cm) : 165
Length outlet hose (cm) : 190
EAN code : 4242004222323
Number of place settings : 13
Energy efficiency class (2010/30/EC) : A++
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) : 262
Energy consumption (kWh) : 0.92
Power consumption in left-on mode (W) - NEW (2010/30/EC) : 0.50
Power consumption in off-mode (W) - NEW (2010/30/EC) : 0.50
Water consumption annual (l/annum) - NEW (2010/30/EC) : 1820
Drying performance : A
Reference programme : Eco
Total cycle time of reference programme (min) : 195
Noise level (dB(A) re 1 pW) : 44
Installation type : Full-integrated



4 242004 222323

N 70

S515T80D2G

ENERGY EFFICIENT DISHWASHER, 60CM

FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE
TO USE, DESIGNED FOR HANDLELESS KITCHENS

Features

Performance

- Energy Efficiency Class: A++
- Capacity: 13 place settings
- Energy consumption in Eco 50 programme: 262 Kwh per year, based on 280 standard cleaning cycles
- Energy consumption in Eco 50 programme: 0.92 Kwh
- Water consumption in Eco 50 programme: 6.5 litres
- Water consumption in Eco 50 programme: 1820 litres per year, based on 280 standard cleaning cycles
- Programme time in Eco 50 programme: 195 minutes
- Noise level dB (A) re 1pW: 44 dB

Programmes/functions

- 8 programmes: Chef 70 °C, Auto 45-65 °C, Eco 50 °C, Silence 50 °C, Glass 40 °C, 1 hour 65 °C, Quick 45 °C, Pre - rinse
- 5 cleaning temperatures
- 4 special options: Intensive Zone, VarioSpeedPlus, HygienePlus, Extra Dry
- Machine Care
- EcoDry - end of cycle door opening for perfect results

Flexible design elements

- Flex 3 basket system
- Flex 3 drawer
- 3 stage Rackmatic height-adjustable top basket
- Silver coloured baskets
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket, 2 foldable cup racks in bottom basket
- 2 foldable cup shelves in top basket 2 foldable cup racks in bottom basket
- Glass rack in bottom basket

Innovations and technology

- Neff EfficientSilentDrive
- doorOpen Assist - Simple to use, designed for handleless kitchens
- NeffSparkle - glass care system
- Heat exchanger - Hygienic and efficient drying
- Efficient SilentDrive BLDC motor
- Curved spray arms
- DosageAssist detergent dispenser
- DetergentAware
- AquaSensor®, Load sensor
- Neff AquaStop® with guarantee

Design features

- TouchControl (metallic)
- White interior EmotionLight
- White TimeLight projection on floor
- Colour of indicators: white
- Large item spray head, including Steam protection plate
- Stainless steel interior
- Push button top controls
- LED salt refill indicator, LED rinse-aid refill indicator
- Alternating spray arms
- Regenerative electronics
- Self-cleaning filter system with 3 piece corrugated filter
- Childlock - when activated double push to open
- doorOpen Assist - Simple to use, designed for handleless kitchens
- Time delay (1-24 hours) with Acoustic end of cycle indicator, water fault indicator
- Acoustic end of cycle indicator
- Dimensions (HxWxD): 81.5 x 59.8 x 55cm
- Efficiency information relates to the Eco 50 programme. This programme is suitable for cleaning normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.

N 70

S515T80D2G

ENERGY EFFICIENT DISHWASHER, 60CM

FULLY INTEGRATED DOOR OPEN ASSIST - SIMPLE
TO USE, DESIGNED FOR HANDLELESS KITCHENS

Dimensioned drawings

