SA2 540 H IX

12NC: F100149 GTIN (EAN) code: 5054645001491



Product groupOvenCommercial codeSA2 540 H IXMain colour of productInoxConstruction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product595Depth of the product0Minimum niche height0Ninimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1Trays1	MAIN FEATURES	
Main colour of productInoxConstruction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product0Ninimum niche height0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Product group	Oven
Construction typeBuilt-inType of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product0Ninimum niche height0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Commercial code	SA2 540 H IX
Type of controlElectronicType of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Minimum niche height0Niche depth0Niche depth0Niche depth66Integrated Cleaning systemHydrolyticGrids of the cavity1	Main colour of product	Inox
Type of control settings-Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product551Minimum niche height0Niche depth0Niche depth0Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Construction type	Built-in
Are any hobs controls integrated?NoWhich kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product551Minimum niche height0Niche depth0Niche depth0Integrated Cleaning systemHydrolyticGrids of the cavity1	Type of control	Electronic
Which kind of hobs can be controlled?-Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product595Minimum niche height0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Type of control settings	-
Automatic programmesYesCurrent (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product551Minimum niche height0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Are any hobs controls integrated?	No
Current (A)13Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product551Minimum niche height0Niche depth0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Which kind of hobs can be controlled?	-
Voltage (V)220-240Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product551Minimum niche height0Niche depth0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Automatic programmes	Yes
Frequency (Hz)50/60Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product595Depth of the product551Minimum niche height0Niche depth0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Current (A)	13
Length of Electrical Supply Cord (cm)100Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Voltage (V)	220-240
Plug typeUKDepth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Frequency (Hz)	50/60
Depth with open door 90 degree (mm)-Height of the product595Width of the product595Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Length of Electrical Supply Cord (cm)	100
Height of the product595Width of the product595Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Plug type	UK
Width of the product595Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Depth with open door 90 degree (mm)	-
Depth of the product551Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Height of the product	595
Minimum niche height0Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Width of the product	595
Minimum niche width0Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Depth of the product	551
Niche depth0Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Minimum niche height	0
Net weight (kg)26.10Usable volume (of cavity)66Integrated Cleaning systemHydrolyticGrids of the cavity1	Minimum niche width	0
Usable volume (of cavity) 66 Integrated Cleaning system Hydrolytic Grids of the cavity 1	Niche depth	0
Integrated Cleaning system Hydrolytic Grids of the cavity 1	Net weight (kg)	26.10
Grids of the cavity 1	Usable volume (of cavity)	66
	Integrated Cleaning system	Hydrolytic
Trays 1	Grids of the cavity	1
	Trays	1

TECHNICAL FEATURES	
Timer	-
Time control	Electronic
Time-setting options	Stop
Safety device	-
Interior light	Yes
Number of interior lights of the cavity	1
Position of interior lights of the cavity	Front left
Oven guides of the cavity	Wall-embedded
Probe of the cavity	No

PERFORMANCES	
Energy input	Electric
Type of energy of the cavity	Electricity
Energy efficiency class	A
Energy consumption conventional (kWh)	0
Energy consumption forced air convection (kWh)	0

Hotpoint