

TECHNICAL FEATURES

Door: Temperate door • Temperature control: Electro-mechanical • Shelves type: Metal racks • Door opening type: Standard opening • Lower heating element power: 1200 W • Full glass inner door: Yes • No. of lights: 1 • Minimum Temperature: 50 °C • Total no. of door glasses: 3 • Light Power: 40 W • Cavity material: Ever clean Enamel • No. of shelves: 5 • Upper heating element - Power: 1000 W • Safety Thermostat: Yes • Removable inner door: Yes • N. of fans: 1 • Removable door: Yes • Grill element - power: 1700 W • User-replaceable light: Yes • Light type: Halogen • No. of thermoreflecting door glasses: 1 • Oven control: Electro-mechanical • Cooling system: Tangential • Large grill - Power: 2700 W • Maximum temperature: 250 °C

PERFORMANCE / ENERGY LABEL

Energy consumption in forced air convection: 2,88 MJ • Energy consumption in conventional mode: 4,14 MJ • Energy efficiency class: A • Energy consumption per cycle in fan-forced convection: 0,8 KWh • Net volume of the cavity: 70 l • Energy consumption per cycle in conventional mode: 1,15 KWh

ELECTRICAL CONNECTION

Voltage: 220-240 V • Frequency (Hz): 50/60 Hz • Current: 13 A • Nominal power: 3000 W

LOGISTIC INFORMATION

Net weight (kg): 33,2 kg • Dimensions of the product (mm): 592x597x548

ACCESSORIES INCLUDED

Enamelled deep tray (40mm): 1 Rack with back stop: 1

OPTIONAL

PRTX: Pizza stone, Ovens, CookersPALPZ: Pizza shovel, Ovens, CookersPPR2: Pizza stone, Ovens, CookersBVG: Tray, OvensBN620-1: Tray, Ovens, CookersBN640: Tray, Ovens, CookersBNP608T: Tray, Ovens, CookersMDB: HandleSFLK1: Child Lock, Ovens, CookersGT1T-2: Telescopic Guides, OvensGT1P-2: Telescopic Guides, OvensPC681-1: Panels set, OvensPR3845X: Antifingerprint, OvensSMOLD: Moulds Set, Ovens, Blast chillersPIR2: Pan, Ovens, Cookers

