DECLARATION OF PERFORMANCE
No: RHS5-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 355 W Φ30 = 184 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.3122x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 420 W Φ30 = 217 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.6616x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 486 W Φ30 = 250 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9979x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 554 W Φ30 = 284 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.3234x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 623 W Φ30 = 319 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6397x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 497 W Φ30 = 257 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.237x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 588 W Φ30 = 303 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7262x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 680 W Φ30 = 350 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.197x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 775 W Φ30 = 398 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6527x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 873 W Φ30 = 446 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0955x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 567 W Φ30 = 294 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6995x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 672 W Φ30 = 347 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.2585x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 778 W Φ30 = 400 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7966x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 886 W Φ30 = 454 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.3174x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 997 W Φ30 = 510 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.8235x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 581 W Φ30 = 302 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8926x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 709 W Φ30 = 368 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6243x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 839 W Φ30 = 433 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.3231x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 972 W Φ30 = 500 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9958x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1108 W Φ30 = 568 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6467x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1247 W Φ30 = 637 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.2793x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 755 W Φ30 = 393 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0604x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 922 W Φ30 = 478 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.0116x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1091 W Φ30 = 564 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.9201x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1263 W Φ30 = 650 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.7945x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1440 W Φ30 = 738 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6407x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1621 W Φ30 = 828 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.4631x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 541 W Φ30 = 277 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.1941x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 638 W Φ30 = 325.9 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7261x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 735 W Φ30 = 375 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.2444x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 831 W Φ30 = 424 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7513x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 929 W Φ30 = 472 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2484x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 757 W Φ30 = 387 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.4718x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 893 W Φ30 = 456 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2165x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1028 W Φ30 = 525 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9421x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1164 W Φ30 = 593 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6518x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1300 W Φ30 = 661 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.3478x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 865 W Φ30 = 443 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1106x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1021 W Φ30 = 521 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9617x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1175 W Φ30 = 600 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.791x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1330 W Φ30 = 678 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.602x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1486 W Φ30 = 756 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3975x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 886 W Φ30 = 454 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2906x ΔT^1.309	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1082 W Φ30 = 553 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.3883x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1276 W Φ30 = 652 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.4522x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1469 W Φ30 = 750 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.4888x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1663 W Φ30 = 847 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.5025x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1857 W Φ30 = 945 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.496x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1152 W Φ30 = 590 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.8778x ΔT^1.309	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1000-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1000-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1406 W Φ30 = 719 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3048x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1200-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1200-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1658 W Φ30 = 847 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.6878x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1400-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1400-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1910 W Φ30 = 974 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.035x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1600-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1600-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 2162 W Φ30 = 1101 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.355x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1800-DGCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1800-DGCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 2414 W Φ30 = 1228 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.645x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 277 W Φ30 = 155 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.2492x ΔT^1.1361	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 336 W Φ30 = 185 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.5954x ΔT^1.1599	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 395 W Φ30 = 214 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8546x ΔT^1.1836	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 455 W Φ30 = 244 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.0394x ΔT^1.2074	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 514 W Φ30 = 274 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.1611x ΔT^1.2311	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 364 W Φ30 = 202 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9611x ΔT^1.1557	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 455 W Φ30 = 248 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6142x ΔT^1.1734	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 545 W Φ30 = 295 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1618x ΔT^1.1912	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 636 W Φ30 = 342 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.6151x ΔT^1.2089	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 726 W Φ30 = 388 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9843x ΔT^1.2267	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 553 W Φ30 = 296 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5904x ΔT^1.2248	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 659 W Φ30 = 355 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.7029x ΔT^1.2143	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 831 W Φ30 = 447 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.1928x ΔT^1.2141	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1002 W Φ30 = 539 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6851x ΔT^1.2139	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1174 W Φ30 = 632 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.179x ΔT^1.2137	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1346 W Φ30 = 724 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.676x ΔT^1.2134	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-800-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-800-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 699 W Φ30 = 381 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.714x ΔT^1.1874	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1000-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1000-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 900 W Φ30 = 474 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6787x ΔT^1.2534	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1200-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1200-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1109 W Φ30 = 590 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6339x ΔT^1.2412	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1400-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1400-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1318 W Φ30 = 706 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.764x ΔT^1.229	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1600-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1600-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1527 W Φ30 = 823 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.082x ΔT^1.2168	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1800-DGCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1800-DGCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1737 W Φ30 = 939 W	
Thermal output in different operating conditions (characteristic curve)	Φ =15.600x ΔT^1.2046	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 259 W Φ30 = 134 W	
Thermal output in different operating conditions (characteristic curve)	Φ =1.6935x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 317 W Φ30 = 164 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.0224x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 375 W Φ30 = 193 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.3381x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 434 W Φ30 = 223 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.6431x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 494 W Φ30 = 253 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9393x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 556 W Φ30 = 284 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.228x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 324 W Φ30 = 168 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.1169x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 396 W Φ30 = 205 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.528x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 469 W Φ30 = 242 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9226x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 542 W Φ30 = 279 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.3039x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 618 W Φ30 = 316 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6741x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 695 W Φ30 = 355 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.035x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 453 W Φ30 = 235 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9636x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 554 W Φ30 = 287 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.5393x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 656 W Φ30 = 338 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.0916x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 759 W Φ30 = 390 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6254x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 865 W Φ30 = 443 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1438x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 972 W Φ30 = 496 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.649x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 583 W Φ30 = 302 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8104x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 713 W Φ30 = 368 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5505x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 844 W Φ30 = 435 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2607x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 976 W Φ30 = 502 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.947x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1112 W Φ30 = 569 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6134x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1250 W Φ30 = 638 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.263x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 712 W Φ30 = 369 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6571x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 871 W Φ30 = 450 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5617x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1031 W Φ30 = 531 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.4297x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1193 W Φ30 = 613 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.2685x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1359 W Φ30 = 696 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.0831x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1528 W Φ30 = 780 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.877x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 396 W Φ30 = 205 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.5773x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 485 W Φ30 = 252 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.1858x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 571 W Φ30 = 297 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7883x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 655 W Φ30 = 340 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.3857x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 736 W Φ30 = 383 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.9788x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 814 W Φ30 = 425 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5682x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 496 W Φ30 = 257 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.2216x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 606 W Φ30 = 315 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9823x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 714 W Φ30 = 370.8 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7353x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 818 W Φ30 = 425.6 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.4821x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 920 W Φ30 = 479 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.2235x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1018 W Φ30 = 531 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.9603x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 694 W Φ30 = 359 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5102x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 849 W Φ30 = 440 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5752x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 999 W Φ30 = 519 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6294x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1145 W Φ30 = 596 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.6749x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1287 W Φ30 = 670 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.7129x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1425 W Φ30 = 743 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.7444x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 892 W Φ30 = 462 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.7989x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1092 W Φ30 = 566 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.1681x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1285 W Φ30 = 668 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.5236x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1473 W Φ30 = 766 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.8677x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1655 W Φ30 = 862 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.202x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1833 W Φ30 = 956 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.528x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1090 W Φ30 = 565 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.0875x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1000-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1000-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1334 W Φ30 = 692 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.761x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1200-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1200-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1570 W Φ30 = 816 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.417x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1400-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1400-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1800 W Φ30 = 936 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.060x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1600-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1600-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 2023 W Φ30 = 1054 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.691x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1800-DGCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1800-DGCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 2240 W Φ30 = 1168 W	
Thermal output in different operating conditions (characteristic curve)	Φ =15.312x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 440 W Φ30 = 229 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9375x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 519 W Φ30 = 270 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.4692x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 596 W Φ30 = 310 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9932x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 673 W Φ30 = 350 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5106x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 749 W Φ30 = 389 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0224x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 667 W Φ30 = 347 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.4503x ΔT^1.2805	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 816 W Φ30 = 425 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.4553x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 963 W Φ30 = 501 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.4428x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1108 W Φ30 = 576 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.4159x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1250 W Φ30 = 650 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3769x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1390 W Φ30 = 723 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.3274x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-800-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 923 W Φ30 = 480 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.1619x ΔT^1.2805	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1000-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1000-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1131 W Φ30 = 588 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.5535x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1200-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1200-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1334 W Φ30 = 694 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.9208x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1400-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1400-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1534 W Φ30 = 798 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.268x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1600-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1600-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1731 W Φ30 = 900 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.598x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1800-DGCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1800-DGCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1925 W Φ30 = 1001 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.914x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 355 W Φ30 = 184 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.3122x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 420 W Φ30 = 217 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.6616x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 486 W Φ30 = 250 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9979x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 554 W Φ30 = 284 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.3234x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 623 W Φ30 = 319 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6397x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 497 W Φ30 = 257 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.237x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 588 W Φ30 = 303 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7262x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 680 W Φ30 = 350 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.197x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 775 W Φ30 = 398 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6527x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 873 W Φ30 = 446 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0955x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 567 W Φ30 = 294 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6995x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 672 W Φ30 = 347 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.2585x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 778 W Φ30 = 400 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7966x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 886 W Φ30 = 454 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.3174x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 997 W Φ30 = 510 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.8235x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 581 W Φ30 = 302 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8926x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 709 W Φ30 = 368 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6243x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 839 W Φ30 = 433 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.3231x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 972 W Φ30 = 500 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9958x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1108 W Φ30 = 568 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6467x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1247 W Φ30 = 637 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.2793x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 755 W Φ30 = 393 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0604x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 922 W Φ30 = 478 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.0116x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1091 W Φ30 = 564 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.9201x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1263 W Φ30 = 650 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.7945x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1440 W Φ30 = 738 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6407x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1621 W Φ30 = 828 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.4631x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 541 W Φ30 = 277 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.1941x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 638 W Φ30 = 325.9 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7261x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 735 W Φ30 = 375 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.2444x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 831 W Φ30 = 424 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7513x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 929 W Φ30 = 472 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2484x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 757 W Φ30 = 387 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.4718x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 893 W Φ30 = 456 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2165x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1028 W Φ30 = 525 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9421x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1164 W Φ30 = 593 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6518x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1300 W Φ30 = 661 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.3478x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 865 W Φ30 = 443 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1106x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1021 W Φ30 = 521 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9617x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1175 W Φ30 = 600 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.791x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1330 W Φ30 = 678 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.602x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1486 W Φ30 = 756 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3975x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 886 W Φ30 = 454 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2906x ΔT^1.309	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1082 W Φ30 = 553 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.3883x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1276 W Φ30 = 652 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.4522x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1469 W Φ30 = 750 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.4888x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1663 W Φ30 = 847 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.5025x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1857 W Φ30 = 945 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.496x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1152 W Φ30 = 590 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.8778x ΔT^1.309	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1000-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1000-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1406 W Φ30 = 719 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3048x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1200-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1200-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1658 W Φ30 = 847 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.6878x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1400-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1400-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1910 W Φ30 = 974 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.035x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1600-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1600-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 2162 W Φ30 = 1101 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.355x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1800-BCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1800-BCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 2414 W Φ30 = 1228 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.645x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 277 W Φ30 = 155 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.2492x ΔT^1.1361	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 336 W Φ30 = 185 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.5954x ΔT^1.1599	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 395 W Φ30 = 214 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8546x ΔT^1.1836	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 455 W Φ30 = 244 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.0394x ΔT^1.2074	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 514 W Φ30 = 274 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.1611x ΔT^1.2311	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 364 W Φ30 = 202 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9611x ΔT^1.1557	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 455 W Φ30 = 248 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6142x ΔT^1.1734	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 545 W Φ30 = 295 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1618x ΔT^1.1912	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 636 W Φ30 = 342 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.6151x ΔT^1.2089	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 726 W Φ30 = 388 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9843x ΔT^1.2267	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 553 W Φ30 = 296 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5904x ΔT^1.2248	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 659 W Φ30 = 355 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.7029x ΔT^1.2143	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 831 W Φ30 = 447 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.1928x ΔT^1.2141	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1002 W Φ30 = 539 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6851x ΔT^1.2139	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1174 W Φ30 = 632 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.179x ΔT^1.2137	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1346 W Φ30 = 724 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.676x ΔT^1.2134	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-800-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-800-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 699 W Φ30 = 381 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.714x ΔT^1.1874	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1000-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1000-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 900 W Φ30 = 474 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6787x ΔT^1.2534	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1200-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1200-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1109 W Φ30 = 590 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6339x ΔT^1.2412	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1400-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1400-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1318 W Φ30 = 706 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.764x ΔT^1.229	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1600-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1600-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1527 W Φ30 = 823 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.082x ΔT^1.2168	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1800-BCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1800-BCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1737 W Φ30 = 939 W	
Thermal output in different operating conditions (characteristic curve)	Φ =15.600x ΔT^1.2046	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 259 W Φ30 = 134 W	
Thermal output in different operating conditions (characteristic curve)	Φ =1.6935x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 317 W Φ30 = 164 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.0224x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 375 W Φ30 = 193 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.3381x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 434 W Φ30 = 223 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.6431x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 494 W Φ30 = 253 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9393x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 556 W Φ30 = 284 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.228x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 324 W Φ30 = 168 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.1169x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 396 W Φ30 = 205 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.528x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 469 W Φ30 = 242 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9226x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 542 W Φ30 = 279 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.3039x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 618 W Φ30 = 316 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6741x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 695 W Φ30 = 355 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.035x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 453 W Φ30 = 235 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9636x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 554 W Φ30 = 287 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.5393x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 656 W Φ30 = 338 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.0916x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 759 W Φ30 = 390 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6254x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 865 W Φ30 = 443 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1438x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 972 W Φ30 = 496 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.649x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 583 W Φ30 = 302 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8104x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 713 W Φ30 = 368 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5505x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 844 W Φ30 = 435 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2607x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 976 W Φ30 = 502 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.947x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1112 W Φ30 = 569 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6134x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1250 W Φ30 = 638 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.263x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 712 W Φ30 = 369 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6571x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 871 W Φ30 = 450 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5617x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1031 W Φ30 = 531 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.4297x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1193 W Φ30 = 613 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.2685x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1359 W Φ30 = 696 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.0831x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1528 W Φ30 = 780 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.877x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 396 W Φ30 = 205 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.5773x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 485 W Φ30 = 252 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.1858x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 571 W Φ30 = 297 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7883x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 655 W Φ30 = 340 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.3857x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 736 W Φ30 = 383 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.9788x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 814 W Φ30 = 425 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5682x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 496 W Φ30 = 257 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.2216x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 606 W Φ30 = 315 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9823x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 714 W Φ30 = 370.8 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7353x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 818 W Φ30 = 425.6 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.4821x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 920 W Φ30 = 479 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.2235x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1018 W Φ30 = 531 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.9603x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 694 W Φ30 = 359 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5102x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 849 W Φ30 = 440 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5752x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 999 W Φ30 = 519 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6294x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1145 W Φ30 = 596 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.6749x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1287 W Φ30 = 670 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.7129x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1425 W Φ30 = 743 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.7444x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 892 W Φ30 = 462 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.7989x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1092 W Φ30 = 566 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.1681x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1285 W Φ30 = 668 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.5236x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1473 W Φ30 = 766 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.8677x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1655 W Φ30 = 862 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.202x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1833 W Φ30 = 956 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.528x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1090 W Φ30 = 565 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.0875x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1000-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1000-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1334 W Φ30 = 692 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.761x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1200-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1200-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1570 W Φ30 = 816 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.417x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1400-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1400-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1800 W Φ30 = 936 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.060x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1600-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1600-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 2023 W Φ30 = 1054 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.691x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1800-BCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1800-BCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 2240 W Φ30 = 1168 W	
Thermal output in different operating conditions (characteristic curve)	Φ =15.312x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 440 W Φ30 = 229 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9375x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 519 W Φ30 = 270 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.4692x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 596 W Φ30 = 310 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9932x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 673 W Φ30 = 350 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5106x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 749 W Φ30 = 389 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0224x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 667 W Φ30 = 347 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.4503x ΔT^1.2805	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 816 W Φ30 = 425 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.4553x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 963 W Φ30 = 501 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.4428x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1108 W Φ30 = 576 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.4159x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1250 W Φ30 = 650 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3769x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1390 W Φ30 = 723 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.3274x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-800-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 923 W Φ30 = 480 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.1619x ΔT^1.2805	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1000-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1000-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1131 W Φ30 = 588 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.5535x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1200-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1200-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1334 W Φ30 = 694 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.9208x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1400-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1400-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1534 W Φ30 = 798 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.268x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1600-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1600-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1731 W Φ30 = 900 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.598x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1800-BCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1800-BCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1925 W Φ30 = 1001 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.914x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 355 W Φ30 = 184 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.3122x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 420 W Φ30 = 217 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.6616x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 486 W Φ30 = 250 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9979x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 554 W Φ30 = 284 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.3234x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 623 W Φ30 = 319 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6397x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 497 W Φ30 = 257 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.237x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 588 W Φ30 = 303 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7262x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 680 W Φ30 = 350 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.197x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 775 W Φ30 = 398 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6527x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 873 W Φ30 = 446 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0955x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 567 W Φ30 = 294 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6995x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 672 W Φ30 = 347 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.2585x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 778 W Φ30 = 400 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7966x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 886 W Φ30 = 454 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.3174x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS8-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS8-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 997 W Φ30 = 510 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.8235x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 581 W Φ30 = 302 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8926x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 709 W Φ30 = 368 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6243x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 839 W Φ30 = 433 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.3231x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 972 W Φ30 = 500 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9958x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1108 W Φ30 = 568 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6467x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS10-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS10-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1247 W Φ30 = 637 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.2793x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 755 W Φ30 = 393 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0604x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 922 W Φ30 = 478 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.0116x ΔT^1.2866	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1091 W Φ30 = 564 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.9201x ΔT^1.2936	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1263 W Φ30 = 650 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.7945x ΔT^1.3007	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1440 W Φ30 = 738 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6407x ΔT^1.3077	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0003-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1621 W Φ30 = 828 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.4631x ΔT^1.3148	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 541 W Φ30 = 277 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.1941x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 638 W Φ30 = 325.9 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7261x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 735 W Φ30 = 375 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.2444x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 831 W Φ30 = 424 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7513x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 929 W Φ30 = 472 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2484x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 757 W Φ30 = 387 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.4718x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 893 W Φ30 = 456 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2165x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1028 W Φ30 = 525 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9421x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1164 W Φ30 = 593 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6518x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1300 W Φ30 = 661 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.3478x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 865 W Φ30 = 443 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1106x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1021 W Φ30 = 521 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9617x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1175 W Φ30 = 600 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.791x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1330 W Φ30 = 678 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.602x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD8-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD8-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1486 W Φ30 = 756 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3975x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 886 W Φ30 = 454 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2906x ΔT^1.309	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1082 W Φ30 = 553 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.3883x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1276 W Φ30 = 652 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.4522x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1469 W Φ30 = 750 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.4888x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1663 W Φ30 = 847 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.5025x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD10-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD10-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1857 W Φ30 = 945 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.496x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1152 W Φ30 = 590 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.8778x ΔT^1.309	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1000-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1000-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1406 W Φ30 = 719 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3048x ΔT^1.3118	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1200-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1200-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1658 W Φ30 = 847 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.6878x ΔT^1.3146	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1400-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1400-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1910 W Φ30 = 974 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.035x ΔT^1.3174	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1600-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1600-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 2162 W Φ30 = 1101 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.355x ΔT^1.3202	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD13-1800-WCO-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD13-1800-WCO

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0004-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 2414 W Φ30 = 1228 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.645x ΔT^1.323	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 277 W Φ30 = 155 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.2492x ΔT^1.1361	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 336 W Φ30 = 185 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.5954x ΔT^1.1599	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 395 W Φ30 = 214 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8546x ΔT^1.1836	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 455 W Φ30 = 244 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.0394x ΔT^1.2074	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 514 W Φ30 = 274 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.1611x ΔT^1.2311	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 364 W Φ30 = 202 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9611x ΔT^1.1557	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 455 W Φ30 = 248 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6142x ΔT^1.1734	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 545 W Φ30 = 295 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1618x ΔT^1.1912	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 636 W Φ30 = 342 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.6151x ΔT^1.2089	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 726 W Φ30 = 388 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.9843x ΔT^1.2267	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 553 W Φ30 = 296 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5904x ΔT^1.2248	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 659 W Φ30 = 355 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.7029x ΔT^1.2143	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 831 W Φ30 = 447 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.1928x ΔT^1.2141	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1002 W Φ30 = 539 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6851x ΔT^1.2139	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1174 W Φ30 = 632 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.179x ΔT^1.2137	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1346 W Φ30 = 724 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.676x ΔT^1.2134	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-800-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-800-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 699 W Φ30 = 381 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.714x ΔT^1.1874	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1000-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1000-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 900 W Φ30 = 474 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6787x ΔT^1.2534	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1200-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1200-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1109 W Φ30 = 590 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.6339x ΔT^1.2412	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1400-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1400-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1318 W Φ30 = 706 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.764x ΔT^1.229	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1600-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1600-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1527 W Φ30 = 823 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.082x ΔT^1.2168	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS17-1800-WCOU-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS17-1800-WCOU

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0007-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 1000 kPa	
Rated thermal outputs	Φ50 = 1737 W Φ30 = 939 W	
Thermal output in different operating conditions (characteristic curve)	Φ =15.600x ΔT^1.2046	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 259 W Φ30 = 134 W	
Thermal output in different operating conditions (characteristic curve)	Φ =1.6935x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 317 W Φ30 = 164 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.0224x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 375 W Φ30 = 193 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.3381x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 434 W Φ30 = 223 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.6431x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 494 W Φ30 = 253 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9393x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS4-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 556 W Φ30 = 284 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.228x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 324 W Φ30 = 168 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.1169x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 396 W Φ30 = 205 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.528x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 469 W Φ30 = 242 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9226x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 542 W Φ30 = 279 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.3039x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 618 W Φ30 = 316 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.6741x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS5-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS5-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 695 W Φ30 = 355 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.035x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 453 W Φ30 = 235 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9636x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 554 W Φ30 = 287 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.5393x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 656 W Φ30 = 338 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.0916x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 759 W Φ30 = 390 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6254x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 865 W Φ30 = 443 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.1438x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 972 W Φ30 = 496 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.649x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 583 W Φ30 = 302 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.8104x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 713 W Φ30 = 368 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5505x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 844 W Φ30 = 435 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.2607x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 976 W Φ30 = 502 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.947x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1112 W Φ30 = 569 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6134x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS9-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS9-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1250 W Φ30 = 638 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.263x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 712 W Φ30 = 369 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.6571x ΔT^1.2858	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 871 W Φ30 = 450 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5617x ΔT^1.2919	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1031 W Φ30 = 531 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.4297x ΔT^1.2979	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1193 W Φ30 = 613 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.2685x ΔT^1.3039	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1359 W Φ30 = 696 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.0831x ΔT^1.31	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS11-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS11-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0005-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1528 W Φ30 = 780 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.877x ΔT^1.316	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 396 W Φ30 = 205 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.5773x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 485 W Φ30 = 252 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.1858x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 571 W Φ30 = 297 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.7883x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 655 W Φ30 = 340 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.3857x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 736 W Φ30 = 383 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.9788x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD4-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD4-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 814 W Φ30 = 425 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5682x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 496 W Φ30 = 257 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.2216x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 606 W Φ30 = 315 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9823x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 714 W Φ30 = 370.8 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.7353x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 818 W Φ30 = 425.6 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.4821x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 920 W Φ30 = 479 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.2235x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD5-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD5-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1018 W Φ30 = 531 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.9603x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 694 W Φ30 = 359 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5102x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 849 W Φ30 = 440 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.5752x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 999 W Φ30 = 519 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.6294x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1145 W Φ30 = 596 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.6749x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1287 W Φ30 = 670 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.7129x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD7-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD7-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1425 W Φ30 = 743 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.7444x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 892 W Φ30 = 462 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.7989x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1092 W Φ30 = 566 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.1681x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1285 W Φ30 = 668 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.5236x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1473 W Φ30 = 766 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.8677x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1655 W Φ30 = 862 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.202x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD9-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD9-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1833 W Φ30 = 956 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.528x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1090 W Φ30 = 565 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.0875x ΔT^1.2873	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1000-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1000-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1334 W Φ30 = 692 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.761x ΔT^1.2847	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1200-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1200-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1570 W Φ30 = 816 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.417x ΔT^1.2821	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1400-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1400-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1800 W Φ30 = 936 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.060x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1600-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1600-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 2023 W Φ30 = 1054 W	
Thermal output in different operating conditions (characteristic curve)	Φ =13.691x ΔT^1.277	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHD11-1800-WCF-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHD11-1800-WCF

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0006-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 2240 W Φ30 = 1168 W	
Thermal output in different operating conditions (characteristic curve)	Φ =15.312x ΔT^1.2744	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1000-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1000-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 440 W Φ30 = 229 W	
Thermal output in different operating conditions (characteristic curve)	Φ =2.9375x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1200-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1200-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 519 W Φ30 = 270 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.4692x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1400-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1400-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 596 W Φ30 = 310 W	
Thermal output in different operating conditions (characteristic curve)	Φ =3.9932x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1600-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1600-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 673 W Φ30 = 350 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.5106x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS7-1800-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS7-1800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 749 W Φ30 = 389 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.0224x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-800-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 667 W Φ30 = 347 W	
Thermal output in different operating conditions (characteristic curve)	Φ =4.4503x ΔT^1.2805	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1000-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1000-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 816 W Φ30 = 425 W	
Thermal output in different operating conditions (characteristic curve)	Φ =5.4553x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1200-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1200-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 963 W Φ30 = 501 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.4428x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1400-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1400-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1108 W Φ30 = 576 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.4159x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1600-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1600-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1250 W Φ30 = 650 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.3769x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS13-1800-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS13-1800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1390 W Φ30 = 723 W	
Thermal output in different operating conditions (characteristic curve)	Φ =9.3274x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-800-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 923 W Φ30 = 480 W	
Thermal output in different operating conditions (characteristic curve)	Φ =6.1619x ΔT^1.2805	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1000-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1000-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1131 W Φ30 = 588 W	
Thermal output in different operating conditions (characteristic curve)	Φ =7.5535x ΔT^1.2803	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1200-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1200-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1334 W Φ30 = 694 W	
Thermal output in different operating conditions (characteristic curve)	Φ =8.9208x ΔT^1.28	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1400-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1400-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1534 W Φ30 = 798 W	
Thermal output in different operating conditions (characteristic curve)	Φ =10.268x ΔT^1.2797	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1600-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1600-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1731 W Φ30 = 900 W	
Thermal output in different operating conditions (characteristic curve)	Φ =11.598x ΔT^1.2795	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England

DECLARATION OF PERFORMANCE
No: RHS18-1800-WCS-DOP-2026-01

Unique Identification of the product Type:

Sectional Radiator

Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4):

RHS18-1800-WCS

Intended Use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

In heating systems in buildings

Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant Article 11(5):

Company Name:	**Buy It Direct**	**Buy It Direct**
Postal Address:	**Unit 2A, Trident Business Park, Neptune Way, Leeds Road, Huddersfield, West Yorkshire**	**The Black Church St Mary's Place**
Postcode	**HD2 1UA**	**Dublin 7**
Telephone Number	**0330 390 3062**	**01 255 2070**
E-mail Address	**Compliance@BuyItDirect.co.uk**	

System or systems of assessment and verification of constancy of performance of the construction products as set out in Annex V:

System 3

Notified laboratory No. 2693 performed the determination of the product-type on the basis of type testing and issued test report:

2693-CPR-0008-2026

Essential Characteristics	Performance	Harmonised Technical Specification
Reaction to fire	A1	EN 442-1:2014
Release of dangerous substances	None	
Pressure tightness	no leakage at 1.3 x maximum operating pressure (MOP) [kPa]	
Surface temperature	Maximum 95 °C	
Resistance to pressure	no breakage at 1.69 x MOP MOP: 500 kPa	
Rated thermal outputs	Φ50 = 1925 W Φ30 = 1001 W	
Thermal output in different operating conditions (characteristic curve)	Φ =12.914x ΔT^1.2792	
Durability as:		
Resistance against corrosion:	No corrosion after 100h humidity	
Resistance against minor impact:	ISO 2409:2013-1C-0	

The performance of the product identified is in conformity with the declared performance above.
This declaration of performance is issued under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Richard Leach
Quality and Compliance Manager
2nd April 2026
Huddersfield, England